

3100 Series Vestibule Locks

- Inside Handle always operative for Escape
- Automatic Deadlatching when Door is Closed
- Reversible Bolt - Universal Handing
- Set Function after Installation via Hubs
- Compliance with Australian Building Regulations for Single Action Escape Doors

Specifications

Case: Zinc Alloy Pressure Cast.

Latch Bolt: Sintered Stainless Steel.

Deadlatch Bolt: Sintered Stainless Steel.

Faceplate: Stainless Steel.

Strike Plate: Stainless Steel - Universal.

Backsets: 23mm, 30mm & 38mm.

Spindles: 2 Split Spindles.

Followers: Sintered Stainless Steel.

Locking Bar: Press Mild Steel.

Cylinder: Satin Chrome Brass 6 pin C4
keyway Standard.

Door Thickness: Metal Doors - 32mm to 48mm Standard.
Designed to be used on hollow style
aluminium door sections, with a minimum
internal depth of 39mm.

Extended Cylinders, Spindles & Screws
available upon request for Thicker Doors.
SSS, PSS, NC SSS, NC PSS, NC PB.

Finishes:


Primary Lock-Code 3100

Outside

Factory preset Vestibule
function.

Escape.

(Refer Diagram 1)



Inside

Factory preset Vestibule
function.

Escape.

(Refer Diagram 1)





Diagram 1

Vestibule Lock-Code 3105

Outside

Key retracts bolt at all
times.


Handle operative except
when locked by inside turn.




Inside

Turn locks and unlocks
outside handle.

Inside handle always
operative.



P01 P03



Q01 Q03




TIGERLINK

3000
NARROW STYLE LOCK

3100 Series Vestibule Locks


Exterior & Exit Lock-Code 3110

Outside Key retracts bolt at all times. Handleoperativeexcept when locked by inside key.		Inside Key locks and unlocks outside handle. Inside handle always operative.
---	--	---




Storeroom Lock-Code 3115

Outside Key retracts bolt at all times. Outside handle always in-operative.		Inside Inside handle always operative.
--	--	--



Single Action Lock-Code 3120

Outside Key retracts bolt at all times. No outside handle.		Inside Inside handle always operative.
---	--	--



3000
NARROW STYLE LOCK


3100 Series Vestibule Locks



Vestibule Lock-Code 3125

Outside Key locks and unlocks outside handle. Handle operative except when locked by outside key or inside turn.		Inside Turn locks and unlocks outside handle. Inside handle always operative.
--	--	---


Note: Denote "A" to lock code for anti-lockout function where required.



Classroom Lock-Code 3130

Outside Key locks and unlocks outside handle. Handle operative except when locked by outside key.		Inside Inside handle always operative.
---	--	---


Note: Denote "A" to lock code for anti-lockout function where required.



Exterior & Exit Lock-Code 3135

Outside Inside turn locks and unlocks outside handle. Handle operative except when locked by inside turn.		Inside Inside handle always operative.
---	--	---

Note: Denote "A" to lock code for anti-lockout function where required.





TIGERLINK


3000
NARROW STYLE LOCK

3100 Series Vestibule Locks

Exterior & Exit Lock-Code 3140


Outside

Handleoperativeexcept
when locked by inside
key.



Inside

Key locks and unlocks
outside handle.
Inside handle always
operative.



P05 P02




Q05 Q02

Exit Latch-Code 3145

Outside


Handle always rigid.




Inside

Inside handle always
operative.

Note: Denote "A" to lock code for anti-lockout function where required.




P05 P06



Q05 Q06

Cams and Adaptors



F



B



C

Cams to suit 3000 series.



P₁



P₄

Turn adaptors to suit 3000 series.
