



Sales Kit

SlimLine - Vertical Gate Closer

TABLE OF CONTENTS

Product Description

Product FAQ's

Web Banners

Imagery

Collateral

Video

Packaging Specifications

Training, Support & Contact



Sales Kit - Product Description



The SlimLine Vertical Gate Closer (DC622G), powered by advanced 3D Cam-Motion® technology, delivers smooth, controlled performance for pedestrian and security gates. Designed for effortless operation, it reduces opening force while ensuring reliable, secure closing without slamming. Engineered for versatility, the SlimLine suits a wide range of gate styles and installations, with multiple mounting options and adjustable closing and latching speeds. Built to handle demanding conditions, it provides durable, all-weather performance while remaining quick and easy to install—making it a dependable solution for accessible, high-traffic environments.

TABLE OF CONTENTS

Product Description

Product FAQ's

Web Banners

Imagery

Collateral

Video

Packaging Specifications

Training, Support & Contact

Accessible for All:

3D Cam-Motion* Technology enables smooth, secure gate operation - ideal for children, the elderly, and people with disabilities on gates 850mm or wider.

Maximum Versatility:

14 mounting options for gate, post, wall, or rail - vertically or horizontally. Ideal for retrofits with face or centre mounted hinges.

Built for Tough Jobs:

Engineered for gates up to 150kg and 1300 mm wide, with independent latch and closing speed adjustments.

Fast, No-Weld Installation:

Complete kit includes fasteners, guide rail, hold-open, and damper for quick, hassle-free setup.

All-Weather Reliability:

Durable in harsh conditions, -30°C to +50°C with corrosion-resistant screws and covers.

TABLE OF CONTENTS

Product Description

Product FAQ's

Web Banners

Imagery

Collateral

Video

Packaging Specifications

Training, Support & Contact

Colour Matching

What is the Colorbond® matching colour to the SlimLine gate closer?

The D&D SlimLine gate closer is supplied in Black, providing a close visual match to Colorbond® Black. While not an official Colorbond® colour, it blends cleanly with black aluminium and steel fencing systems.

Standards & Compliance

Is the SlimLine suitable for pool safety gates?

Yes. When installed correctly, the SlimLine supports self closing requirements under AS1926 and is suitable for residential pool gates when used with a compliant latching system.

Gate Size & Weight

What size and weight gates is the SlimLine designed for?

Designed for light to medium weight pedestrian gates, including standard pool and garden gates. Not suitable for oversized or wind-loaded gates. *Can I install a SlimLine on a gate wider than 1300 mm?*

No. The SlimLine is rated for gates up to 1300mm (4' 3¼") wide. Installing it on wider gates may void the warranty.

Gate Swing

Can the SlimLine be installed on inward or outward swinging gates?

Yes. The SlimLine supports both inward and outward gate swing, depending on mounting orientation.

Gate Compatibility

Which gate materials can the SlimLine be installed on?

The SlimLine is compatible with:

- Aluminium gates
- Steel gates
- Aluminium and steel pool fencing systems

Can I use the SlimLine Vertical Closer with a timber gate on a steel or aluminium post?

Yes. For solid timber gates mounted to a minimum 50 × 50 mm RHS steel or aluminium post, the gate must not exceed 1300mm (4' 3¼")wide or 150kg (330lb).

- Use correct fasteners when fixing into wood.

Applications

Is the SlimLine designed for residential or commercial use?

Engineered for residential and light commercial pedestrian gates. For high traffic or heavy duty applications, a higher rated D&D closer is recommended.

Adjustability

Is the closing speed adjustable?

Yes. The SlimLine features adjustable hydraulic closing, allowing precise on site tuning for gate weight and conditions.

Durability

Is SlimLine suitable for outdoor installations?

Yes. Designed for exterior use, the SlimLine offers resistance to UV exposure, moisture, and typical Australian weather conditions.

Retrofit Installations

Can the SlimLine be retrofitted to existing gates?

Yes. The SlimLine gate closer is suitable for retrofit installations on existing gates where the gate and post meet the minimum mounting and clearance requirements. Its slim design allows it to be fitted to a wide range of gate styles without the need for major modifications.

Is the SlimLine compatible with existing spring loaded hinges?

Yes. Existing hinge tension must be fully backed off to avoid interference.

Installation

Are installation instructions supplied?

Yes. Manufacturer installation instructions are included, covering mounting and adjustment.

Is a gate frame required to install the SlimLine?

No. Where a gate frame is not present, the SlimLine can be installed using the Mounting Plate for Guide Rail accessory (Part No. DCAC632----9004).

Design Advantage

Why choose the SlimLine over a traditional gate closer?

- Slim, low profile design
- Minimal visual impact
- Adjustable hydraulic closing
- Durable, weather-resistance for outdoor use
- Ideal for narrow gate frames fencing styles
- Trusted ASSA ABLOY / D&D quality

TABLE OF CONTENTS

Product Description

Product FAQ's

Web Banners


Imagery

Collateral

Video

Packaging Specifications

Training, Support & Contact



D[®] SLIMLine

NEW SlimLine Hydraulic Vertical Closer

- Versatile Installation – 14 mounting options
- Self-closes gates up to 150kg (330 lbs)
- Adjustable closing and latch speeds
- Accommodates any gate gap from common hinges
- ADA suitable

NEW PRODUCT

[More Information](#)

Hero Images



Insitu Images




TABLE OF CONTENTS

Product Description

Product FAQ's

Web Banners

Imagery

Collateral

Video

Packaging Specifications

Training, Support & Contact

Deep Etched Images



TABLE OF CONTENTS

Product Description

Product FAQ's

Web Banners

Imagery

Collateral

Video

Packaging Specifications

Training, Support & Contact

Installation Video SlimLine



Product Video SlimLine



TABLE OF CONTENTS

Product Description

Product FAQ's

Web Banners

Imagery

Collateral

Video

Packaging Specifications

Training, Support & Contact

Product SKU	Product Description	Product Pack Structure	Package Size mm (L x W x H)	Product Weight (without carton)	Total Weight	Barcodes	Carton Qty
DC622G-L-1-9004	Vertical gate closer left hand black + damper + hold-open	Original ASSA Box	480 X 130 X 110	4.5kg	19.1kg	8022342689684	4
DC622G-R-1-9004	Vertical gate closer right hand black + damper + hold-open	Original ASSA Box	480 X 130 X 110	4.5kg	19.1kg	8022342689707	4
DCAC632----9004	Mounting plate for guide rail black	Brown Kraft C Carton	590 X 60 X 60	1.86kg	1.85kg	8014017035759	1
DCAC633----9004	Mounting bracket kit for body black	Original ASSA Box	470 X 110 X 100	1.1kg	7.7kg	8014017030655	6

TABLE OF CONTENTS

Product Description

Product FAQ's

Web Banners

Imagery

Collateral

Video

Packaging Specifications

Training, Support & Contact



D&D now offers personalised, one-on-one product training at our **GateWise** facility.

These in-house sessions give installers and industry professionals hands-on experience with our full range of gate hardware and safety solutions.

To organise training for yourself or your team, contact **training.ddtech.au@assaabloy.com**